Surveyor	Survey date	Authority
Professional name		Client name
Address Telephone Email		Address Telephone Email
Estimate copy to:		

Chair tried: ☐ Yes ☐ No **Model:** ☐ A02 Static ☐ A06 AP ☐ A08 SP ☐ A11 SP

Complete attached spec form for dimension changes.
Click paperclip on left margin for files.

WC

Pan height _____mm **Pan width** _____

To suit pan type ☐ Standard WC ☐ Geberit ☐ BioBidet **Model** _____

Frame

Width ☐ 431mm (17") ☐ 495mm (19") ☐ 545mm (21") ☐ Special width:_____mm

Wheels SP Wheel size ☐ 20" ☐ 22" ☐ 24" 1" spacer required ☐ Rear wheels set back 75mm (3") ☐ double amputee
AP ☐ 4x braked castor ☐ 3x braked & 1 directional lock

☐ Level seat **Frame height:** ☐ Lowered by: _____ mm Raised by: ☐ 1" Spacer ☐ 2" Spacer ☐ Other _____mm

Other modifications

Seat

Seat Type ☐ Flat padded ☐ Horseshoe ☐ Aperture ☐ Side access ☐ Rear access special order

Aperture Size ☐ Small ☐ Medium ☐ Large ☐ Bespoke - drawing required

Extension ☐ 50mm ☐ 75mm ☐ Bespoke _____mm **Skirt** ☐ Yes ☐ No

Padding Reduced by _____mm Increased by _____mm Pressure relief state foam colour _____ ☐ Dartex

Commode ☐ Round ☐ Oval ☐ Square ☐ Sliders (not available with skirted seat) ☐ Pan rack

Other modifications

Backrest

Handle ☐ Push Handle ☐ Straight Handle ☐ Pram Handle ☐ AP Backrest

Recline ☐ Upright ☐ 5 Degree Recline ☐ Bespoke angle _____degrees

Height ☐ Standard ☐ Increased by _____mm ☐ Height lowered by _____mm

Fabric ☐ Standard ☐ Mesh ☐ Full Height

Padding Clip on back rest pad: Available for 17" models only ☐ 25mm ☐ 50mm ☐ 75mm

Supports **Head:** ☐ Adjustable ☐ X Shaped **Thoracic:** ☐ RH ☐ LH Add thoracic padded sleeve: ☐ RH ☐ LH

Other modifications

Armrests

Style ☐ Straight ☐ Half wide ☐ Wide ☐ Cranked ☐ Tip up

Height ☐ Standard ☐ Increased by _____ mm ☐ Reduced by _____ mm **Pads** ☐ Soft armrest pads ☐ Channel armrests

Supports Fitted with clip on side pads: thickness ☐ 25mm ☐ 50mm ☐ 75mm

Other modifications

Footrests

Style ☐ Standard ☐ 90 Degree ☐ Omit footrests and sockets

Height ☐ Standard ☐ Raised by 65mm ☐ Bespoke _____ mm **Straps** ☐ Heel Straps ☐ Toe Straps

Special Elevated leg rest: ☐ RH ☐ LH Individual foot pad: ☐ RH ☐ LH ☐ Padded foot tray ☐ ABS foot tray

Other modifications

Other

Support Straps ☐ Harness ☐ Waist strap - buckle ☐ Waist strap - Velcro
Sternum Support ☐ XS ☐ S ☐ M ☐ L Postural Support: ☐ S ☐ M ☐ L ☐ Calf Strap

Additional requirements

Attachments ☐ Drawing ☐ Spec Sheet

Reset Form | Print Form | Save Form